

# Vegetable Varieties for Gardeners

A citizen science program from the Department of Horticulture



College of Agriculture & Life Sciences

[Register/Login](#)

[My Varieties](#)

[My Profile](#)

- Home
- Browse Crops
- Growing Guides
- Cornell Gardening
- Info
- About
- How To Use This Site

## Potatoes Finder:

Season:

Any

[Refine Search](#)

[\[Help\]](#)

## Search:

All








[Search](#)

[\[Browse Crops\]](#) [\[Help\]](#)

## My Profile Data

Please [login](#) to see your profile data.

## Most Popular Varieties

1. Sungold Tomatoes  72 Ratings
2. Brandywine Tomatoes  71 Ratings
3. Cherokee Purple Tomatoes  46 Ratings
4. Celebrity Tomatoes  44 Ratings
5. Stupice Tomatoes  42 Ratings
6. Early Girl Tomatoes  39 Ratings
7. Jet Star Tomatoes  27 Ratings
8. Bright Lights Swiss Chard  26 Ratings


Your search returned the following **107** results:

Sort Results by :   [\[Sorting Help\]](#)

**New!** [Login](#) to limit results to your state or growing season.

[Update Results](#)

(Click on the variety name to **rate** variety, view ratings and find seed sources)


**Rose Finn Apple** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** NA-NA  
3 Ratings

**Description:** Mid- to late-season. Fingerling tubers with beige, rose-blushed skin and waxy, bright-yellow flesh. Good storage. High resistance to scab. Medium-sized, upright plants.


**Adirondack Red** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** NA-NA  
3 Ratings

**Description:** Early- to mid-season, medium- to high-yielding variety. Dark green decumbent to spreading vines bear oblong to long, slightly flattened, purplish-red-skinned tubers with shallow eyes and pink to red flesh. Excellent flavor. Good for boiling, mashing, pan frying, salads and microwaving. Color may leach out during boiling but not with other cooking methods. 2004 release bred by Walter De Jong at Cornell University. Formerly T17-2.




**Bintje** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** NA-NA  
1 Rating


**Description:** Late season. Oblong tubers with yellow skin and waxy, yellow flesh. Fair storage. Medium resistance to scab.


**Kerr's Pink** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** 70-90  
1 Rating

**Description:** Mid-season Irish heirloom. Oval-flat tubers with pink skin and floury, white flesh. Short storage. Good resistance to scab.


**Red Gold** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** 70-90  
1 Rating

**Description:** Mid-season. 2-inch, round tubers with red skin and waxy, yellow flesh. Short-term storage. Medium resistance to scab.



**Russet Norkotah** Potatoes **Overall Rating:** (5.0 Stars):  **Days to Maturity:** 60-75  
1 Rating

**Description:** Early-season. Medium-long, smooth tubers with netted, dark-russet skin, shallow, golden eyes and white flesh. Good storage. Resistant to scab and root knob.

**Purple Viking** Potatoes **Overall Rating:** (4.8 Stars):  **Days to Maturity:** 70-90  
5 Ratings

- 9. Big Beef Tomatoes ★★★★☆  
23 Ratings
- 10. Kellogg's Breakfast Tomatoes ★★★★☆  
22 Ratings

Varieties rated most often. Not necessarily the highest rated.

### Top 10 Rated Varieties

- 1. Sungold Tomatoes ★★★★★  
72 Ratings
- 2. Brandywine Tomatoes ★★★★★  
71 Ratings
- 3. Cherokee Purple Tomatoes ★★★★★  
46 Ratings
- 4. Celebrity Tomatoes ★★★★★  
44 Ratings
- 5. Stupice Tomatoes ★★★★★  
42 Ratings
- 6. Early Girl Tomatoes ★★★★★  
39 Ratings
- 7. Jet Star Tomatoes ★★★★★  
27 Ratings
- 8. Bright Lights Swiss Chard ★★★★★  
26 Ratings
- 9. Big Beef Tomatoes ★★★★★  
22 Ratings
- 10. Kellogg's Breakfast Tomatoes ★★★★★  
22 Ratings

Ratings as of 24 minutes ago.

**Description:** Mid-season. Large, round tubers with purple skin splashed with pink and moist, firm, white flesh. Excellent storage. High resistance to scab and somewhat resistant to leaf hoppers. Compact plants.

**French Fingerling** Potatoes **Overall Rating:** (4.8 Stars): ★★★★★  
4 Ratings **Days to Maturity:** NA-NA

**Description:** Mid- to late-season. Large, fingerling tubers with smooth, dark rose-red skin and waxy, yellow flesh lightly splashed with pink. Good storage. High resistance to scab and shows some resistance to leaf hopper. Tall, spreading plant.



**Kennebec** Potatoes **Overall Rating:** (4.6 Stars): ★★★★★  
8 Ratings **Days to Maturity:** 70-90

**Description:** Mid-season. Large, oblong tubers with thin, buff skin, unobtrusive eyes and moist, firm, creamy-white flesh. Excellent storage. Resistant to late blight, black leg and potato viruses A and Y but medium scab resistance and susceptible to verticillium and rhizoctonia.



**Dark Red Norland** Potatoes **Overall Rating:** (4.5 Stars): ★★★★★  
6 Ratings **Days to Maturity:** NA-NA

**Description:** Early-season. Oblong, smooth tubers with dark-red skin and moist, firm, white flesh. Fair storage. Highly resistant to scab and resistant to leaf roll and potato viruses A and Y.



**Russian Banana** Potatoes **Overall Rating:** (4.5 Stars): ★★★★★  
6 Ratings **Days to Maturity:** NA-NA

**Description:** Late season. Small, fingerling tubers with buff-yellow skin and light-yellow, waxy-textured flesh. Stores well. Resistant to scab and somewhat resistant to late blight.



**Carola** Potatoes **Overall Rating:** (4.5 Stars): ★★★★★  
2 Ratings **Days to Maturity:** 90-120

**Description:** Late-season. Oblong tubers with yellow skin and moist, firm, yellow flesh. Good storage. Highly resistant to scab but susceptible to fusarium seed-piece decay. Inconsistent yields depending on growing conditions. Medium-spreading plant.

**Irish Cobbler** Potatoes **Overall Rating:** (4.5 Stars): ★★★★★  
2 Ratings **Days to Maturity:** NA-NA

**Description:** Early-season. Round tubers with buff skin and firm, dry, white flesh. For short-term storage. Medium resistance to scab. Medium-sized plants.

**Yellow Finn** Potatoes **Overall Rating:** (4.5 Stars): ★★★★★  
2 Ratings **Days to Maturity:** 70-90

**Description:** Mid-season. Oval-flat, pear-shaped tubers with yellow skin and moist, firm, bright-yellow flesh. Excellent storage. Good resistance to scab. Tubers set on long stolons spreading away from medium-sized plant.

**Caribe** Potatoes **Overall Rating:** (4.3 Stars): ★★★★★  
3 Ratings **Days to Maturity:** 60-75

**Description:** Very early. Oblong tubers with purple skin, snow-white, waxy flesh and medium-dry texture. Stores well but skin color loses brightness. Good resistance to scab and storage rot. Medium-sized plant.

**Fingerling Salad** Potatoes **Overall Rating:** (4.3 Stars): ★★★★★  
3 Ratings **Days to Maturity:** NA-NA

**Description:** Late-season heirloom. 2- to 4-inch fingerling tubers with buff-yellow skin and light, waxy, yellow flesh. Good storage.

**Red Pontiac** Potatoes **Overall Rating:** (4.2 Stars): ★★★★★  
4 Ratings **Days to Maturity:** 60-75

**Description:** Early-season. Round tubers with red skin, medium-deep eyes and moist, crisp, white flesh. Excellent storage. Good drought tolerance. Medium resistance to scab. Also known as Dakota Chief.

<b>All Blue</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 9 Ratings	<b>Days to Maturity:</b> 70-90	
<b>Description:</b>	Mid-season. Smooth, oblong, medium-size, deep-blue to almost purple skin and brilliant purple, moist, firm flesh with slightly grainy texture. Excellent storage. Resistant to scab.		
<b>German Butterball</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 6 Ratings	<b>Days to Maturity:</b> 90-120	
<b>Description:</b>	Late-season heirloom. Oblong tubers with light, russet skin and medium-dry, yellow flesh. Excellent storage. Resistance to viruses and scab but some susceptibility to rhizoctonia.		
<b>Chieftain</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> 60-75	
<b>Description:</b>	Early- to mid-season. Large, round tubers with shallow eyes, red skin and moist, firm, white flesh. Fair storage. Medium-sized plants. Highly resistant to scab and resistant to net necrosis, stem-end browning and late blight. Also known as 'Chiefton'.		
<b>Cowhorn</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Late-season. Fingerling tubers with pointed tips, dark-purple skin and dry, mealy, white flesh. Good storage. Excellent resistant to common scab and late blight.		
<b>Green Mountain</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Late-season heirloom. Oblong tubers with buff skin and dry, mealy, white flesh. Excellent storage. Resistant to fusarium storage rot, black leg and verticillium and moderately resistant to scab.		
<b>LaRatte</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Late-season. Fingerling tubers with yellow, finely netted skin and deep-yellow, waxy, nutty flesh. Good storage. Good resistance to scab. Medium-sized, spreading plants. Also known as 'La Ratte'. 'Princess LaRatte' is essentially identical.		
<b>Superior</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Early-season. Medium, erect to spreading plants yield smooth, oval tubers with buff skin and white flesh. Good for long storage. Resistant to heat and drought and scab. Susceptible to blackleg, fusarium PVL, PVX, PVY, verticillium wilt, pressure bruise, late blight.		
<b>Adirondack Blue</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 2 Ratings	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Early- to main-season variety good for Baking, boiling, steaming, mashing, brightly colored salads. Spreading plants yield large, round to oblong, slightly flattened, purple-fleshed tubers with purple skin. Susceptible to common scab and silver scurf. Resistant to golden nematode. Formerly known as S45-5.		
<b>Austrian Crescent</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 1 Rating	<b>Days to Maturity:</b> NA-NA	
<b>Description:</b>	Mid- to late-season. 10-inch, fingerling tubers weighing up to 18 ounces with tan skin and deep, waxy, yellow flesh. Medium-sized plants. Good storage. High resistance to scab. Good for new potatoes.		
<b>Butte</b> Potatoes	<b>Overall Rating:</b> (4.0 Stars): ★★★★☆ 1 Rating	<b>Days to Maturity:</b> NA-NA	

**Description:** Late season. Long tubers with russet skin and dry, mealy, white flesh Excellent storage. Medium-sized plants. Highly resistant to scab, and somewhat resistant to hollow heart and net necrosis.

**Gold Rush** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Mid-season. Oblong to long tubers with well-russeted skin and medium-dry, white flesh. Fair storage. Very resistant to drought and common scab, verticillium, black spot bruising and hollow heart. Large upright vine.

**Huckleberry** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 70-90

**Description:** Mid-season. Oblong tubers with beet-red skin and moist, firm, smooth-textured, lighter-red flesh marbled with white. Good storage. Medium resistance to scab.

**Red Cloud** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 70-90

**Description:** Mid-season. Round tubers with red skin and medium-dry, snow-white flesh. Excellent storage. High resistance to scab, early blight, hollow heart, heat stress and drought. Medium-sized spreading plants.

**Red Thumb** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Late-season. Fingerling tubers with smooth, red skin and waxy, red flesh. Good storage. Medium resistance to scab. Small- to medium-sized plants.

**Rose Gold** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 70-90

**Description:** Mid-season. Medium-sized, round, smooth tubers with rose-red skin and moist, firm, golden-yellow flesh. Good storage. Good resistance to scab.

**Sangre** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 70-90

**Description:** Mid-season. Oblong tubers with deep-red, slightly russeted skin and moist, firm, white flesh. Excellent storage. Good resistance to scab. Excellent for new potatoes. Also known as 'Red Sangre'.

**Monona** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Midseason general-purpose variety. Small to medium, spreading plants yield round, oblong to oval, white-fleshed tubers with light-cream buff-skinned tubers with medium deep eyes. Resistant to net PVX, PVY, PVA, PVS verticillium wilt, mild and rugose mosaic. Susceptible to blackleg, fusarium, PLRV Stores well.

**Hampton** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Mid- to late-season general purpose fresh market variety. Large plants bear round, shallow-eyed, buff-skinned, white-fleshed tubers. Resistant to golden nematode, verticillium wilt. Susceptible to scab, late blight, growth cracks.

**Reba** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Mid-to-late season variety similar to Atlantic or Monona. Medium to tall, semi-erect plants yield round to oval to oblong, white-fleshed, smooth tubers with bright-white to buff skin. Resistant to golden nematode, common scab, verticillium wilt, early blight. Susceptible to late blight. Stores well.

**Princess LaRatte** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 90-100

**Description:** Mid-season. Smooth, buff-skinned tubers with golden-yellow flesh. Essentially the same as 'LaRatte'.

**Sebago** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Late season. Large erect plants with reddish-purple flowers produce buff-skinned, white-fleshed tubers. A 1938 release developed from 'Chippewa' and 'Katahdin'. Resistant to viruses, late blight, early blight, net necrosis, common scab, fusarium, dry rot and wart. Fair storage.

**Atlantic** Potatoes **Overall Rating:** (4.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** 70-90

**Description:** Mid-season. Plants produce medium-sized, white-skinned and -fleshed tubers. Dry flesh good for frying, boiling and baking.

**Yukon Gold** Potatoes **Overall Rating:** (3.9 Stars): ★★★★★  
20 Ratings **Days to Maturity:** 60-75

**Description:** Very early season. Medium to large, upright plants yield small to medium, slightly flattened, oval tubers with thin, golden buff-yellow skin, small, pink eyes and dry, mealy, yellow flesh. Excellent storage because of long tuber dormancy. Resistant to mild mosaic, PVLR, PVA. Susceptible to common scab, PVY, early blight, fusarium, dry rot, silver scurf, rhizoctonia.



**Purple Peruvian** Potatoes **Overall Rating:** (3.8 Stars): ★★★★★  
6 Ratings **Days to Maturity:** NA-NA

**Description:** Very-late season. Fingerling tubers with purple skin and dry, earthy, bright-purple flesh. Good storage. High resistance to scab.

**Garnet Chili** Potatoes **Overall Rating:** (3.5 Stars): ★★★★★  
2 Ratings **Days to Maturity:** 90-120

**Description:** Late-season. Round tubers with light-red skin and moist, firm, white flesh. Good storage. Good resistance to scab. Large, tall plants

**Katahdin** Potatoes **Overall Rating:** (3.5 Stars): ★★★★★  
2 Ratings **Days to Maturity:** NA-NA

**Description:** Late season. Large, round tubers with buff skin and moist, firm, white flesh. Excellent storage. Medium resistance to scab. Tubers tend to be near surface so should be well hilled. High dependable yields.

**All Red** Potatoes **Overall Rating:** (3.2 Stars): ★★★★★  
6 Ratings **Days to Maturity:** 70-90

**Description:** Mid-season. Large, round tubers with smooth cranberry-red skin and light-rose flesh even when cooked boiled or roasted. Keeps red color well in cool, dark storage. Some drought resistance and good resistance to scab. Also known as 'Cranberry Red'.

**Russet Burbank** Potatoes **Overall Rating:** (3.0 Stars): ★★★★★  
2 Ratings **Days to Maturity:** 90-120

**Description:** Very late season. Long, heavy tubers with russeted skin and dry, mealy, white flesh. Excellent storage. Resistant to blackleg and fusarium and high resistance to scab. Also known as Idaho Potato.

**Castile** Potatoes **Overall Rating:** (3.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Late-season. Large, smooth, oblong tubers with buff skin and white, dry, mealy flesh. Good storage. Resistance to hollow heart, fusarium and golden nematode and medium resistance to scab. Medium to large plants. Also known as 'Beltsville'.

**Island Sunshine** Potatoes **Overall Rating:** (3.0 Stars): ★★★★★  
1 Rating **Days to Maturity:** NA-NA

**Description:** Late-season. 2- to 3-inch, round tubers with yellow skin and dry, mealy, golden-yellow flesh. Good storage. Highly resistant to late

blight and good resistance to scab. Medium-sized plants.

<b>Early Rose</b> Potatoes	<b>Overall Rating:</b> (3.0 Stars): ★★★★☆ 1 Rating	<b>Days to Maturity:</b> 60-75
<b>Description:</b>	Early-season American heirloom. Plants produce smooth, pinkish-red tubers with red-streaked, white flesh.	
<b>Banana</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Mid- to late-season. Fingerling tubers with yellow skin and waxy, yellow flesh. Good storage. High resistance to scab. Also known as 'Banana Fingerling'.	
<b>Blossom</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Late season. Fingerling tubers with magenta-red skin and pink, smooth-textured, waxy flesh. Good storage. Medium resistance to scab, leaf hoppers and late blight.	
<b>Cherry Red</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 70-90
<b>Description:</b>	Mid-season. Round tubers with smooth, vivid-red skin and moist, firm, white flesh. Heavy yields. Good storage. Medium resistance to blight.	
<b>Daisy Gold</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Mid-season. Yellow, flaky, moist flesh. Resistant to nematodes.	
<b>Elba</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Late-season. Round, smooth, tubers with buff skin and firm, moist, white flesh. Excellent storage. High resistance to scab and good resistance to leaf hoppers, early blight, verticillium, golden nematode and Colorado potato beetle.	
<b>Frontier Russet</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early season. Oblong, smooth tubers with slightly russeted skin and dry, mealy, white flesh. Excellent storage. Good resistance to scab.	
<b>Ida Rose</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Mid-season. Oblong tubers with bright-red skin that retains color during storage and moist, firm, white flesh. Good storage. Moderate resistance to scab, growth crack, hollow heart, verticillium and early blight. Medium-tall plants.	
<b>LaRouge</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 90-120
<b>Description:</b>	Late-season. Round tubers with bright-red skin, medium-deep eyes and moist, firm flesh. Good storage. High resistance to scab. Medium-sized spreading plants.	
<b>Nicola</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 90-120
<b>Description:</b>	Late-season. Oblong-oval tubers with lightly netted, yellow skin and intensely yellow, waxy, dense flesh. Good storage. Virus immunity and good resistance to scab and blight.	
<b>Onaway</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early-season. Round tubers with smooth, buff skin and moist, white flesh. Excellent storage. Resistant to blight and highly resistant to scab.	
<b>Ozette</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Very-late season heirloom. Fingerling tubers with bumpy, buff skin and waxy, white flesh. Good storage. High resistance to scab.	
<b>Peanut</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Late-season. Fingerling tubers with tan, netted skin and waxy, dense, yellow flesh. Good storage. High resistance to scab. Also known as 'Swedish Peanut'.	
<b>Reddale</b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Mid-season. Round, smooth tubers with bright-red skin and moist, white flesh. Good storage. Medium to large plants. High resistance to scab.	

<b><u>Redsen</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early-season. Medium-sized, round, smooth tubers with thin, bright-red skin and moist, white flesh. Short-term storage. Resistant to late blight race O, silver scurf and hollow heart and high resistance to scab.	
<b><u>Salem</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Mid-season. Round to oblong tubers with buff skin and moist, firm, white flesh. Excellent storage. Good resistance to common scab and golden nematode. Medium-sized, spreading plant.	
<b><u>Shepody</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Late-season. Long tubers with russeted, buff skin. Resistant to scab and many other diseases.	
<b><u>Sieglinde</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early-season. Oblong, slightly flattened, smooth tubers with clear, yellow skin, shallow eyes and moist, firm, yellow flesh. Good storage. Good resistant to scab, mosaic virus and warts.	
<b><u>Lucky Charms</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 85-85
<b>Description:</b>	Potatoes grown from seed. Smooth, oval, buff-colored tubers with tender, nutty-flavored white flesh.	
<b><u>Belle de Fontenay</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 70-90
<b>Description:</b>	Mid-season. Upright plants yield medium-to-large, oblong, buff-skinned, golden-yellow fleshed, waxy tubers.	
<b><u>Colorado Rose</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 70-90
<b>Description:</b>	Main-season, all-purpose potato. Medium-sized plants produce large, oval, smooth, rose-red-skinned tubers with white flesh.	
<b><u>Red Pearl</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early-season bred specifically to produce many small tubers (marble-sized up to 2 inches). Small- to medium-sized vines yield up to 20 red-skinned, white-fleshed 1- to 2-ounce tubers per plant.	
<b><u>Russet Nugget</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 90-120
<b>Description:</b>	Late-season. Large upright vines yield white-fleshed, slightly flattened tubers. Dry mealy texture for frying or baking. Moderate resistance to early blight, verticillium wilt and net necrosis. Resistant to common scab, hollow heart and second growth. Moderately susceptible to seed piece decay, blackleg and rhizoctonia.	
<b><u>Satina</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Medium to large upright vines yield dark-yellow-fleshed, smooth yellow-skinned, oval tubers Resistant to common scab.	
<b><u>Sunrise</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Early fresh-market variety. Medium-large, spreading plants yield netted, buff-skinned, white-fleshed, round to oblong tubers. Resistant to golden nematode, net necrosis and common scab	
<b><u>Prince Hairy</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 110-135
<b>Description:</b>	White-skinned, white-fleshed variety producing medium-large round tubers. Resistant to Colorado potato beetles, potato leafhoppers and flea beetles. Also known as NYL235-4.	
<b><u>Swedish Peanut</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> NA-NA
<b>Description:</b>	Dry, golden-fleshed, heirloom, fingerling potato from Sweden produces teardrop-shaped tubers. Also known as Mandel. Perfect baked or roasted.	
<b><u>Desiree</u></b> Potatoes	<b>Overall Rating:</b> Not Yet Rated	<b>Days to Maturity:</b> 70-100

**Description:** Mid-season variety produces 4- to 6-inch by 2 1/2-inch tubers with pink skins and creamy-yellow flesh.

**Red Ruby**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 65-65

**Description:** Early season, red-skinned, waxy-textured potato. Keeps well.

**Maris Piper**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season English variety. Large cream-skinned, cream-fleshed, dry-fleshed tubers. Good keeper.

**Ruby Crescent**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 95-100

**Description:** Main-season, fingerling type. Plants produce rosy-skinned tubers with moderately dry, yellow flesh best baked or boiled. Also known as 'Ruby Crescent Fingerling'.



**Adora** Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 60-75

**Description:** Early season. Plants produce oblong, smooth-skinned tubers with evenly distributed, medium-shallow eyes and light yellow flesh. Keeps well. Good for boiling and baking. Resistant to most diseases.

**Charlotte**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 60-75

**Description:** Early-season. Plants produce medium, oblong, sometimes slightly crescent-shaped, shallow-eyed tubers with very thin, golden-yellow skin and flesh. Stores well.

**Dakota Rose**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 60-75

**Description:** Early-season. Plants produce round to oblong, smooth, white-fleshed, deep-red color tubers with shallow eyes.

**Red Companion**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 60-75

**Description:** Early-season. Plants produce smooth, medium-to-large, red-skinned, white-fleshed tubers with shallow eyes.

**Agria** Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season Dutch variety. Plants produce round to oval, yellow-skinned, deep-yellow-fleshed tubers with shallow eyes and slightly prominent eyebrows. Moderate scab resistance.

**Durango**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season potato. Plants produce red-skinned, white-fleshed tubers. Keeps color well in storage. Good for boiling, mashing, baking, or frying.

**Mountain Rose**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season variety. Plants produce red-skinned and -fleshed tubers. Good for chips, fries, baking and mashing.

**NDC5281-2**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season. Plants produce small, creamer-sized tubers.

**Purple Majesty**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season. Plants produce purple-skinned and -fleshed tubers. Bred for frying but also good for baking and boiling, too.

**Red Lasoda**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season. Plants produce round, smooth-skinned tubers with distinct eyes. Good keeper.

**Rote Erstling**  
Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season, multi-purpose Swedish potato. Plants produce round to oblong, red-skinned, yellow-fleshed tubers.

**Valisa** Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** 70-90

**Description:** Mid-season. Plant produce yellow-skinned and -fleshed tubers. Stores well.



<b><u>Viking Red</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	70-90
<b>Description:</b>	Mid-season. Plants produce bright-red-skinned, white-fleshed tubers. Good for for baking and boiling. Heat tolerant. Keeps well.			
<b><u>Canela</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season oblong russet type for fresh market.			
<b><u>Centennial Russet</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce white-fleshed, oblong to slightly flat tubers with dark, heavy russeted skin and shallow eyes.			
<b><u>Chipeta</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce rounded, light-yellow to white tubers. Developed for potato chips and also good for frying, mashing and baking.			
<b><u>Golden Sunburst</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce short, oval, yellow-skinned tubers with deep yellow flesh.			
<b><u>Inca Gold</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce round, yellow-fleshed, golden-skinned tubers with purple splashes. and yellow flesh. Keeps well.			
<b><u>Rio Grande Russett</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce oblong, white-fleshed, russet tubers.			
<b><u>Romance</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce red-skinned, yellow-fleshed tubers.			
<b><u>Russet Silverton</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season russet type. Heat tolerant. Good for baking and frying.			
<b><u>Snow White</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plants produce oval, white-skinned and -fleshed tubers. Good for mashed potatoes.			
<b><u>Snowden</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	90-120
<b>Description:</b>	Late-season. Plans produce medium round, white-skinned and -fleshed tubers. Developed for chipping but also good for boiling and baking.			
<b><u>Kipfel</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	70-90
<b>Description:</b>	Mid-season fingerling type. Plants produce yellow-skinned and -fleshed tubers.			
<b><u>Catalina</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	50-100
<b>Description:</b>	Grow from true seed instead of tubers. Plants produce flat, oval, brown-skinned, white-fleshed tubers. Some resistance to early and late blight. 50 days from transplanting for baby potatoes, 100 to full maturity.			
<b><u>Zoluska</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	NA-NA
<b>Description:</b>	Hybrid grown from seed. Compact plants produce round-oval, medium to large tubers with shallow eyes, smooth white skin, and white flesh.			
<b><u>Eva</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	NA-NA
<b>Description:</b>	Mid-season variety. Plants produce round to oval, smooth- and thin-skinned, tubers with shallow eyes.			
<b><u>Keuka Gold</u></b> Potatoes	<b>Overall Rating:</b>	Not Yet Rated	<b>Days to Maturity:</b>	NA-NA

**Description:** Medium to medium-late maturing plants produce mostly round to slightly oval, scab-resistant tubers with pale yellow flesh.

---

**Lehigh** Potatoes **Overall Rating:** Not Yet Rated **Days to Maturity:** NA-NA

**Description:** Mid-late season. Plants produce large tubers with scurfy skin and yellow flesh. Good for boiling. Resistant to scab and golden nematode

Not finding what you are looking for? [Add A Variety](#)